APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	of filing in State Engineer's Office MAY 1 8 1983
Retu	rned to applicant for correction.
Corr	rected application filed
Мар	filed MAY 1 8 1983 under 46712
	DODEDT F. MEVED
_	The applicant ROBERT E. MEYER
	4132 East Firestone Boulevard , of Santa Fe Springs, Street and No. or P.O. Box No. City or Town
	California 90670 , hereby makes application for permission to appropriate the public State and Zip Code No.
	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion;	; if a copartnership or association, give names of members.)
-	·
1.	The source of the proposed appropriation is underground Name of stream, lake, spring, underground or other source
	Name of stream, lake, spring, underground or other source
2.	The amount of water applied for is 4.45 c.f.s. second-feet One second-foot equals 448.83 gals, per min.
	One second-foot equals 448.83 gals. per min. (a) If stored in reservoir give number of acre-feet
3.	The water to be used for mining, milling and domestic Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
	Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use. If use is for:
	(a) Irrigation, state number of acres to be irrigated:
	(b) Stockwater, state number and kinds of animals to be watered:
	(c) Other use (describe fully under "No. 12. Remarks"
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point: Within the SW\(\frac{1}{4}\)SW\(\frac{1}{4}\) of Section 22.
	T.33N., R.36E., M.D.B.&M.or at a point from which the Wa corner of said.
	survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. Section 22 bears N17° 30'W 1,380'
6.	Place of use 27.5 acres in the $SE_{\frac{1}{4}}$ of Section 14; $S_{\frac{1}{2}}$ of Section 15; the $SE_{\frac{1}{4}}$, $SE_{\frac{1}{4}}NE_{\frac{1}{4}}$
	Describe by legal subdivision. If on unsurveyed land, it should be so stated. SE4SW4 of Section 16; E½ of Section 21; all of Section 22; N½N½, S½NW¼, SW¼NE¼,
	N½SW¼, SW¼SW¼ of Section 23; and all of Section 27; NW¼NW¼ Section 24; all in
	T.33N., R.36E., M.D.B.&M.
7.	Use will begin about January 1st and end about December 31st , of each year. Month and Day Month and Day
8.	Month and Day Month and Day Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
7	specifications of your diversion or storage works) pipelines and placer mining
	State manner in which water is to be diverted, i.e. diversion structure, ditches and
٥	flumes, drilled well with pump and motor, etc. Estimated cost of works in excess of \$10,000.00

consumptive use. Request for a place mining, gravel washing and slucing operation 800 yards per hour 24 hours a day. Consumption will be 7,000 g.p.m. from all sources, but using water conservation methods the total loss will be limited 1,500 g.p.m. Operation will employee 30-40 personnel and the applicant desir to develop 7,000 g.p.m. for his proposed Placer mining operation. Application totaling 15,000 g.p.m. have been filed with the intention of dropping all the points of diversion that would not be necessary to provide the needed 7,000 g.p.m. JOHN H. MILTON III, R.L.S., S.W.R.S. By. John H. Milton III. 146 West Second Street Winnemucca, Nevada 89445-3493 Protested Pro. 9/16/83 by Henry D. Ott; Pro. wdr. 8/21/84 APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion an accurate measurements must be kept of water placed to beneficial use. The totalimeter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534,030. The State retains the right to regulate the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. CONTINUED ON PAGE 2)	nual of to es ns
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or and consumptive use. Request for a place mining, gravel washing and slucing operation 800 yards per hour 24 hours a day. Consumption will be 7,000 g.p.m. from all sources, but using water conservation methods the total loss will be limited 1,500 g.p.m. Operation will employee 30-40 personnel and the applicant desir to develop 7,000 g.p.m. for his proposed Placer mining operation. Application totaling 15,000 g.p.m. have been filed with the intention of dropping all the points of diversion that would not be necessary to provide the needed 7,000 g.p.m. JOHN H. MILTON III, R.L.S., S.W.R.S. By. John H. Milton III. 146 West Second Street Winnemucca, Nevada 89445-3493 Protested Pro. 9/16/83 by Henry D. Ott; Pro. wdr. 8/21/84 APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must all for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained to prevent waste. A totalizing meter must be installed and maintained to prevent waste. A totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534,030. The State retains the right to regulate the use of the water herein granted at any and all times. This Permit does not extend the permitt	of to es ins
Sources, but using water conservation methods the total loss will be limited 1,500 g.p.m. Operation will employee 30-40 personnel and The applicant desir to develop 7,000 g.p.m. for his proposed Placer mining operation. Applicatio totaling 15,000 g.p.m. have been filed with the intention of dropping all the points of diversion that would not be necessary to provide the needed 7,000 g.p.m. JOHN H. MILTON III, R.L.S., S.W.R.S. By s./John H. Milton III and the world with the world with the medded 7,000 g.p.m. Protested. Pro. 9/16/83 by Henry D. Ott; Pro. wdr. 8/21/84 APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must all for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion an accurate measurements must be kept of water placed to beneficial use. The totalimeter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.	of to es ins
Sources, but using water conservation methods the total loss will be limited 1,500 g.p.m. Operation will employee 30-40 personnel and The applicant desir to develop 7,000 g.p.m. For his proposed Placer mining operation. Application totaling 15,000 g.p.m. have been filed with the intention of dropping all the points of diversion that would not be necessary to provide the needed 7,000 g.p.m. JOHN H. MILTON III, R.L.S., S.W.R.S. By. S.John H. Milton III 146 West Second Street Winnemucca, Nevada 89445-3493 Protested Pro. 9/16/83 by Henry D. Ott; Pro. wdr. 8/21/84 APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must al for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion an accurate measurements must be kept of water placed to beneficial use. The totalimeter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. CONTINUED ON PAGE 2)	to es ns
JOHN H. MILTON III, R.L.S., S.W.R.S. By. s/John H. Milton III 146 West Second Street Winnemucca, Nevada 89445-3493 Protested Pro. 9/16/83 by Henry D. Ott; Pro. wdr. 8/21/84 APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must al for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained to prevent waste. A totalizing meter must installed and maintained to prevent waste. A totalizing meter must installed and maintained to prevent waste. A totalizing meter must installed and maintained to prevent waste. A totalizing meter must installed and maintained to prevent waste. A totalizing meter must installed and maintained to prevent waste. A totalizing meter must installed before any use of water placed to beneficial use. The totalizer must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use,	, AGE
Protested Pro. 9/16/83 by Henry D. Ott; Pro. wdr. 8/21/84 APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This permit is issued subject to existing rights. It is understood that the famount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion an accurate measurements must be kept of water placed to beneficial use. The totalizant must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use,	
Protested Pro. 9/16/83 by Henry D. Ott; Pro. wdr. 8/21/84 APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must al for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion an accurate measurements must be kept of water placed to beneficial use. The totalizanter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use,	
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must all for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion an accurate measurements must be kept of water placed to beneficial use. The totalizater must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use,	
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must all for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion an accurate measurements must be kept of water placed to beneficial use. The totalismeter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use,	
This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must all for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion an accurate measurements must be kept of water placed to beneficial use. The totalizer must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use,	41
amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must al for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing valve must be installed and maintained to prevent waste. A totalizing meter must installed and maintained in the discharge pipeline near the point of diversion an accurate measurements must be kept of water placed to beneficial use. The totalized meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use,	ще
···	low , a be d zing the
not to exceed 4.45 cubic feet per second but not to exceed 288.	and
	<u>. 75</u>
million gallons annually.	
Work must be prosecuted with reasonable diligence and be completed on or before. April 19, 1988	
Proof of completion of work shall be filed before	
Application of water to beneficial use shall be made on or before April 19, 1990	1000000
Proof of the application of water to beneficial use shall be filed on or before May 19, 1990	
Map in support of proof of beneficial use shall be filed on or before	
Completion of work filed	
Proof of beneficial use filed	
Cultural map filed	
Certificate NoIssued	
State Engineer	اسبد
D JUN 2.9.1989 BECAUSE OF FAILURE	<u>a</u> -1

(PERMIT TERMS CONTINUED)

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The total combined duty of water under Permits 46712, 46925, 46926, 46927, 46929, 46930 and 46931 shall not exceed 288.75

million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

